



मालारानी गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय



पत्र संख्या : ०८२/०८३

चलानी नम्बर : ६६९

खनदह, अर्घाखाँची
लुम्बिनी प्रदेश, नेपाल

मिति: २०८१०६/२८

ने.सं.-११४५ कौलागा ८ मंगलबार

विषय: दररेट उपलब्ध गराइदिनुहुन ।

श्री सेनेटरी प्याड उत्पादक/वितरक एवं सप्लायर्स सबै,

उपर्युक्त सम्बन्धमा आ.व. २०८२/८३ मा शिक्षातर्फको ससर्त अनुदान अन्तर्गत सामुदायिक विद्यालयलाई तपशिल बमोजिम स्पेशिफिकेसन (विस्तृत स्पेशिफिकेशन यसै पत्रसाथ संलग्न)को सेनेटरी प्याड (Sanitary Pad) उपलब्ध गराउने प्रयोजनको लागि लागत अनुमान तयार गर्न प्रति इकाइ न्यूनतम दररेट आवश्यक परेकोले यस कार्यालयको इमेल ठेगाना malaraniruralmun@gmail.com मा तपशिलको ढाँचामा पत्रको मितिले ७ (सात) दिनसम्ममा उपलब्ध गराइदिनुहुन अनुरोध छ ।

तपशिल:

क्रसं.	सामानको नाम	स्पेशिफिकेशन	इकाइ	परिमाण	दर रु.	जम्मा रु.	कैफियत
1	Sanitary Pads	Size: 280±10mm, 80±5 mm width, thickness 15mm ±2 mm, Material: Cotton, absorbency>60 ml colored water, Pack of at least 8 pads NS Certified and with transportation	प्याकेट	1			
जम्मा रकम							
मुकर लाग्ने रकम .अ.							
मु(%१३)कर रकम .अ.							
जम्मा कर .अ.मु) सहित(

२०८१/०६/२८

गोविन्द भट्टराई
प्रमुख प्रशासकीय अधिकृत

“कृषि, पर्यटन र सहकारी समृद्ध मालारानी”

ई-मेल: malaraniruralmun@gmail.com / info@malaranimun.gov.np वेबसाईट: www.malaranimun.gov.np



Specifications for Sanitary Pads

1. **Type and physical finishing:** Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.
2. **Raw material permitted:**
 - a. **Absorbent filter:** plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material.
 - b. **Covering:** The covering of the absorbent filter shall be of good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.
3. **Size:** size including minimum (Min. 280±10 mm length, Min. 80±5 mm width, thickness Min. 15mm ±2 mm).
4. **Absorbency:** the sanitary pad shall absorb at least 60 ml of coloured distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
5. **Disposability:** disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
6. **Colour:** The product shall be white in colour and shall be almost odourless.
7. **PH value:** free from acid and alkali, pH of absorbent material shall be 6-8.5.
8. **Hygiene testing requirement:** Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887(Part 2).
9. The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.
10. **Packaging type:** at least 90% Compostable pack, protecting package to product.
11. **Packaging size:** minimum 8 pads per pack.
12. **Biodegradability or Composability requirements:** At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory).
13. **Standards:** Must be NS Certified.
14. **Shelf life:** Shelf life of at least 2 years. The pads must have at least 1 year 9 months of shelf life left at the time of delivery for acceptance.

459
वी.वि. भट्टराई
प्रमुख प्रशासकीय अधिकृत